

Section 1 - Identification

Product Identifier: COOL TREAT HD

Supplier: Professional Series, LLC.

Supplier Phone: (215) 234-3085

375 Ivyland Road, Suite 8 Supplier Address:

Warminster, PA 18974

In Case of Spills or Medical Emergency:

24 HRS, 7 DAYS

Intended Use Industrial or Automotive Commercial Uses Only. Not for general

household use.

shown below in Section 8.

1-800-424-9300 or **North American Shipments:**

Applications that generate fluid mist in air above threshold values

International

5421

Formula Number

1-703-527-3887 (CHEMTREC)

(215) 234-3085 **Shipments:**

Section 2 - Hazard Identification

Signal Word: **WARNING**

Substance Or Mixture Mixture

Other than flammability, no specific data exists for this mixture. Hazard classifications are calculated based on component information, according to GHS

protocols for the relevant hazard.

Hazard Classifications: Acute Toxicity Oral (Category 4), Eye damage/irritation (Category 2A),

Skin Corrosion/Irritation (Category 3),

Hazard Statements based on component information:

HAZARDS: Causes serious eye irritation.

Skin contact causes mild skin irritation.

Precautions:

Uses To Avoid

Before handling, put on chemical resistant eye protection, and protect from skin exposure by using long sleeves, long pants, and latex, nitrile, or neoprene gloves. Handle carefully to avoid splashing. Avoid causing mists and exposure to mists.

NO **PICTOGRAMS APPLY**

Other Hazards Not Resulting In Classification: May be hazardous to soil dwelling organisms.

Read entire SDS prior to use. Observe all precautions. Use engineering controls to minimize human exposure to **Summary:**

workplace chemicals.



Page 2 ACTS COOL TREAT HD FΝ 5421 Section 3 - Composition / Information on Ingredients **CAS Number** % Range Exact percentages **DISTILLED WATER** 7732-18-5 60 - 100 and component 1303-96-4 SODIUM TETRABORATE DECAHYDRATE 1 - 5 identities are being witheld as trade 68609-93-8 9-OCTADECANOIC ACID, POTASSIUM SALT 5 - 15 secrets. Occupational PROPYLENE/ETHYLENEOXIDE POLYMER 9038-95-3 < 1 Exposure Levels, Toxicity, and 2-HYDROXYPROPANE-1,2,3-TRICARBOXYLIC ACID 77-92-9 1 - 5 **Ecological** information on components is shown in Sections 8, 11, and 12 below. Users should read and understand the entire SDS. More specific information on components will be released to medical professionals in case of emergency.

Section 4 - First Aid Measures:

First responders should wear clothing appropriate for industrial exposure in accordance with local codes. At a minimum, all exposed skin should be covered, and latex gloves and eye protection meeting ANSI Z87 or CSA Z94.3 should be worn. First responders should avoid contact with spilled material. Spills of this material present a slip hazard. If smoke, fumes, or airborne mist is present, first responders should use organics respirator or self contained breathing apparatus.

IF SWALLOWED: Get immediate medical attention. Call poison control center.

IF INHALED: Remove affected person to fresh air and make comfortable for breathing. Get immediate medical attention.

IF IN EYES: Remove contact lenses and rinse eyes with cool water. Get immediate medical attention.

IF ON SKIN: Remove contaminated clothing. Wash immediately with soap and water. Get immediate medical attention.

IF ON CLOTHES: Do not allow skin contact with contaminated clothing. Remove contaminated clothing and wash before re-use.

IF EXPOSED: Contact physician if you feel unwell.

Most Important Symptoms ACUTE: Dermal /Respiratory irritation, vision effects. DELAYED: No symptoms expected.

Indication of Immediate Difficulty breathing, dizziness, extreme drowsiness, eye irritation, loss of vision, skin rash. **Medical Attention**



Page 3

ACTS COOL TREAT HD

Section 5 - Fire Fighting Measures:

Flash Point: >93C

Hazardous

N/A Product Will Not Burn

Decomposition Products

Appropriate Not applicable - product is water based and does not burn..

Extinguishing Media

Specific Fire Hazards Not applicable - product is water based and does not burn

Special Protective Actions Not applicable - product is water based and does not burn.

Section 6- Accidental Release Measures:

Personal Precautions

Spills present a slip hazard. Remove unneccesary personnel from area around spill. Prior to cleaning up, don protective gear including chemical and hydrocarbon resistant outer layer, latex or rubber gloves, rubber boots, and eye protection. Emergency responders should wear chemical and hydrocarbon resistant gear.

Environmental Precautions

Small spills may be wiped up with rags. For spills >10 litres- if possible to safely do so, contain the spilled material using diatomaceous earth and/or absorbent pads. Dike drains and prevent material from entering sewers, ditches, drains, or water courses. Place absorbed material into sealed storage containers and consult an environmental expert for proper disposal measures. Immediately report any discharges that escape containment to the local environmental authority or fire department.

Methods for Cleaning Up

Absorption with diatomaceous earth and/or absorbent pads is best. Do not use vacuum. Do not wash hydrocarbon or chemical spills away into sewers or drains. Use proper disposal methods for spent absorbents and contaminated rags or clothing.

Section 7- Storage and Handling:

Precautions for Handling

Read and understand entire Safety Data Sheet prior to handling. Wear all appropriate protective gear listed in section 2 above prior to handling. Handle with care to avoid spillage.

Methods for Safe Storage

Store only in original containers. Store containers indoors away from heat and flames. Store in secure location with good ventilation. Keep container sealed when not transferring product. Protect from rain and extreme cold. Avoid storage of hydrocarbons near strong mineral acids or materials marked 'Oxidizer'.



Page 4

Section 8- Exposure Controls/Personal Protection:

ACTS COOL TREAT HD

Control Parameters

No exposure limits are established for this mixture. Users should use lowest exposure value shown for components in this section.

Component Information - Occupational Exposure Limits:

DISTILLED WATER None Established

SODIUM TETRABORATE DECAHYDRATE OSHA PEL 5 mg/m3 dust

9-OCTADECANOIC ACID, POTASSIUM SALT none reported

PROPYLENE/ETHYLENEOXIDE POLYMER Propylene Glycol - TWA 10 mg/m3 TWA: 155mg/m3 TWA 50ppm

2-HYDROXYPROPANE-1,2,3-TRICARBOXYLIC No TLV established

Personal Protective Gear

Eye/Face Protection: ANSI Z87.1-1989; Gloves: Latex or Neoprene.

Engineering Controls

Engineering controls should ensure adequate ventilation to keep airborne concentrations below threshold values shown above. Pumps and handling equipment should be designed to reduce human exposure potentials to liquids being transferred from containers into closed systems.

Section 9- Physical Properties

| Appearance | Clear to Hazy Liquid | Upper Explosive Limit | Not Applicable - Water Based |
|------------------------------|--------------------------------------|-----------------------|------------------------------|
| Odor | Low Indescript | Lower Explosive Limit | Not Applicable - Water Based |
| Odor Threshold | No Data Available | Vapour Pressure | Not Applicable - Water Based |
| рН | 7.0 - 11.5 | Vapour Density | >1 (air=1) |
| Melting Point | Liquid under intended use conditions | Relative Density | 1.0-1.09 kg/l 60C |
| Freezing Point | 0 | Solubility | Water, Alcohols |
| Initial Boiling Point | No Data Available | Partition Coefficient | No Data Available |
| Boiling Range | N/A Water Based | Auto Ignition Temp | Not Applicable |
| Flash Point | >93C | Decomposition Temp | Not Determined |
| Evaporation Rate | <1 (n-butyl acetate =1) | Viscosity cSt 40C | NA - Water Based |



Page 5

ACTS COOL TREAT HD

Section 10- Physical Properties:

Reactivity May react violently if combined with strong oxidizers and heat.

Chemical Stability Stable under recommended storage conditions.

Conditions to Avoid Keep away from fire, sparks, and other sources of ignition.

Possibly Hazardous Reactions None known.

> **Incompatible Materials** Strong acids and materials marked 'Oxidizer'.

Hazardous Decomposition

Products

N/A Product Will Not Burn

Section 11- Toxicological Information: Symptoms of Exposure:

Likely Routes of Dermal or Eye exposure from pouring or handling concentrated product. Intended use of product is in enclosed washer

systems which prevent worker exposure to mists. **Exposure**

Ingestion Stinging/burning of lips and mouth from incidental contact. Swallowing large amounts may cause chemical burns in

mouth/throat, and vomiting.

Inhalation Exposure to airborne mists or fumes may cause respiratory irritation and/or dermal irritation.

Dermal/Eye Eye exposure to concentrated product causes immediate eye burns and irreversible eye damage. Dermal exposure

causes immediate skin corrosion. Exposure to airborne mists or fumes at diluted use concentrations may cause eye

and/or dermal irritation.

Immediate or **Delayed Effects** Immediate: Skin/Eye corrosion from exposure to concentrated aqueous acid or alkaline material. Delayed: None Known.

Interactive Effects None Known

Numerical Measures of Toxicity - components (all LD/LC/EC 50 values shown below are based on animal or fish data) at max range value section 3.

Acute Oral Toxicity:

DISTILLED WATER: Non Hazardous; SODIUM TETRABORATE DECAHYDRATE: Non Hazardous; 9-OCTADECANOIC ACID,

POTASSIUM SALT: Non Hazardous; PROPYLENE/ETHYLENEOXIDE POLYMER: Non Hazardous;

2-HYDROXYPROPANE-1,2,3-TRICARBOXYLIC ACID: Non Hazardous

Acute Skin Toxicity:

DISTILLED WATER: Non Hazardous; SODIUM TETRABORATE DECAHYDRATE: Non Hazardous; 9-OCTADECANOIC ACID, POTASSIUM SALT: Non Hazardous; PROPYLENE/ETHYLENEOXIDE POLYMER: Non Hazardous;

2-HYDROXYPROPANE-1,2,3-TRICARBOXYLIC ACID: Non Hazardous

Acute Toxicity Inhalation

DISTILLED WATER: Non Hazardous; SODIUM TETRABORATE DECAHYDRATE: Non Hazardous; 9-OCTADECANOIC ACID,

POTASSIUM SALT: Non Hazardous; PROPYLENE/ETHYLENEOXIDE POLYMER: Non Hazardous;

2-HYDROXYPROPANE-1,2,3-TRICARBOXYLIC ACID: No Data Available



Page 6

ACTS COOL TREAT HD

Section 11- Toxicological Information: (continued)

DISTILLED WATER: Non Irritating; SODIUM TETRABORATE DECAHYDRATE: Non Irritating; 9-OCTADECANOIC ACID, POTASSIUM SALT: Cat 2 Irritant; PROPYLENE/ETHYLENEOXIDE POLYMER: Non Irritating; 2-HYDROXYPROPANE-1,2,3-TRICARBOXYLIC ACID: Skin Corrosion:

Cat 1 Corrosive

Eye Corrosion: DISTILLED WATER: Non-Categorized, Suspected Eye Irritant; SODIUM TETRABORATE DECAHYDRATE: Cat 2A Serious Irritation;

9-OCTADECANOIC ACID, POTASSIUM SALT: Cat 2A Serious Irritation; PROPYLENE/ETHYLENEOXIDE POLYMER: Non-Categorized, Suspected Eye Irritant; 2-HYDROXYPROPANE-1,2,3-TRICARBOXYLIC ACID: Cat 1 Serious Damage

Respiratory Sensitization: DISTILLED WATER: Non Sensitizing; SODIUM TETRABORATE DECAHYDRATE: Non Sensitizing; 9-OCTADECANOIC ACID, POTASSIUM SALT: Non Sensitizing; PROPYLENE/ETHYLENEOXIDE POLYMER: Non Sensitizing; 2-HYDROXYPROPANE-1,2,3-TRICARBOXYLIC ACID: Non Sensitizing

Skin Sensitization: DISTILLED WATER: Non Sensitizing; SODIUM TETRABORATE DECAHYDRATE: Non Sensitizing; 9-OCTADECANOIC ACID, POTASSIUM SALT: Non Sensitizing; PROPYLENE/ETHYLENEOXIDE POLYMER: Non Sensitizing;

2-HYDROXYPROPANE-1,2,3-TRICARBOXYLIC ACID: Non Sensitizing

Germ Cell Mutagenicity: DISTILLED WATER: No Hazard; SODIUM TETRABORATE DECAHYDRATE: No Data Available; 9-OCTADECANOIC ACID, POTASSIUM

SALT: No Hazard; PROPYLENÉ/ETHYLENEOXIDE POLYMER: No Data Available; 2-HYDROXYPROPANE-1,2,3-TRICARBOXYLIC ACID:

No Hazard

DISTILLED WATER: No Hazard; SODIUM TETRABORATE DECAHYDRATE: No Hazard; 9-OCTADECANOIC ACID, POTASSIUM SALT: No Hazard; PROPYLENE/ETHYLENEOXIDE POLYMER: No Data Available; 2-HYDROXYPROPANE-1,2,3-TRICARBOXYLIC ACID: No Carcinogen:

Hazard

Reproductive Effects:

DISTILLED WATER: No Hazard; SODIUM TETRABORATE DECAHYDRATE: Cat 2 Reproductive Toxicant; 9-OCTADECANOIC ACID, POTASSIUM SALT: No Hazard; PROPYLENE/ETHYLENEOXIDE POLYMER: No Data Available;

2-HYDROXYPROPANE-1,2,3-TRICARBOXYLIC ACID: No Hazard



Page 7

ACTS COOL TREAT HD

Section 11- Toxicological Information: (continued)

Target Organ 1 **Exposure:**

DISTILLED WATER: No Hazard; SODIUM TETRABORATE DECAHYDRATE: No Hazard; 9-OCTADECANOIC ACID, POTASSIUM SALT: No Hazard; PROPYLENE/ETHÝLENEOXIDE POLYMER: No Data Available; 2-HYDROXYPROPANE-1,2,3-TRICARBOXYLIC ACID: No

Hazard

Target Organ Multiple Exposure:

DISTILLED WATER: No Hazard; SODIUM TETRABORATE DECAHYDRATE: No Hazard; 9-OCTADECANOIC ACID, POTASSIUM SALT: No Hazard; PROPYLENE/ETHÝLENEOXIDE POLYMER: No Data Available; 2-HYDROXYPROPANE-1,2,3-TRICARBOXYLIC ACID: No

Aspiration Hazard:

DISTILLED WATER: No Hazard; SODIUM TETRABORATE DECAHYDRATE: No Data Available; 9-OCTADECANOIC ACID, POTASSIUM SALT: No Hazard; PROPYLENE/ETHYLENEOXIDE POLYMER: No Hazard; 2-HYDROXYPROPANE-1,2,3-TRICARBOXYLIC ACID: No

Other Information No Other Information Available.

Section 12- Ecological Information:

Ecological Summary Alkaline or Acid cleaners have varying degrees of toxicity. Information on components is shown below.

Bioaccumulation Alkaline or Acid cleaners are water soluble and have low bioaccumulatoin potential. Information on components is shown

Persistance & Degradability

Alkaline or Acid cleaners have good biodegradability and are not persistent in the environment.

Waste Treatment

Effects

Product residues are not expected to enter publicly operated treatment works. No negative effects of this mixture are

known.

Soil Mobility

No data available.

Other Adverse **Effects** None Known

Toxicity to aquatic organisms, component information:

DISTILLED WATER: Non Toxic; SODIUM TETRABORATE DECAHYDRATE: Non Toxic; 9-OCTADECANOIC ACID, POTASSIUM SALT: Aquatic Toxicity, Non Toxic; PROPYLENE/ETHYLENEOXIDE POLYMER: Non Toxic; 2-HYDROXYPROPANE-1,2,3-TRICARBOXYLIC ACID: Non Toxic

Acuté:

Volatile Organic Content:



ACTS COOL TREAT HD

Aquatic Toxicity, DISTILLED WATER: No Chronic Aquatic Toxicity; SODIUM TETRABORATE DECAHYDRATE: No Chronic Aquatic Toxicity; 9-OCTADECANOIC ACID, POTASSIUM SALT: No Chronic Aquatic Toxicity; PROPYLENE/ETHYLENEOXIDE POLYMER: No Chronic Aquatic Toxicity; 2-HYDROXYPROPANE-1,2,3-TRICARBOXYLIC ACID: No Chronic Aquatic Toxicity

Term:

Ozone: This product neither contains, nor was manufactured with a Class lor Class II ODS as defined by 40 CFR 82, Subpt. A, App.A + 8.

Section 13- Disposal Considerations:

Disposal Containers & Methods Unused material is not a RCRA hazardous waste. Mixture with other wastes may cause

classification as hazardous waste. Users must determine compliance with local, state, and federal regulations for proper classification and disposal of used oils and mixtures thereof. Suitable containers include steel and polyethylene drums and totes, for containment of used oil. Secondary containment is advised. Containers should be kept sealed and protected from rain and exposure.

Physical Chemical Properties

Affecting Disposal

Changes in physical and chemical properties during use, such as contamination with lead, zinc, or other metals, may affect classification for disposal. Used oils should be tested to determine metals content and applicable local, state, and federal regulations governing disposal of such fluids.

Improper Disposal Discharging of oily wastes into any sewer, watercourse, or unregulated drain is discouraged as

improper and may result in fines, penalties, cleanup costs, and criminal liabilitites for responsible

parties.

Precautions for Landfill

Oily liquid should not be disposed in a landfill. Disposal of oily absorbents, rags, or other items into a landfill should only be done with proper permission from local, state, and federal authorities.

Section 14- Transport Information: US DOT 49 CFR Parts 171-180:

Proper Shipping Name: Not Regulated

Combustible Liquid N/A

Exemption:

UN/ID/NA Number: NA

Transport Hazard Class NA Packing Group NA Labels: NA ERGCode NA

Marine Pollutant: No

IATA-DGR

IATA Proper Shipping Name NA UN/ID Number NA

IATA Class NA IATA Packing Group: NA IATA Labels NA

IMDG-CODE

IMDG Proper Shipping Name NA

IMDG UN/ID Number NA IMDG Shipping Class NA IMDG Packing Group NA

IMDG Labels NA IMDG Marine Pollutant: No

MARPOL Not available for sale in bulk marine shipments

MARPOL 73/78 Annex II Special Precautions None

Page 8



Page 9

ACTS COOL TREAT HD

Section 15- Regulatory Information:

NOTE: Information provided in this section reflects the best available information from suppliers of components used to manufacture this mixture, as of the date of this revision shown below.

OSHA 1910.1200 Hazardous Chemical: Hazards are classified as reported in Section 2 above.

SARA 302 EHS No Known Hazard or Not Listed

SARA 311/312 Acute No Chronic No Fire No Pressure No Reactivity No

SARA 313 EHS No Known Hazard or Not Listed

TSCA Status: All Components are properly registered

US State Lists & Regulations:

CA Prop 65 This product contains substances known to the State of California to cause cancer: Ethylene oxide; based on CA 65 List as of August

2018

US State Right To Know Information:

IL RTK: Not Listed; 1,4-Dioxane; Ethyl acrylate; Isopropyl alcohol; Ethylene oxide; Propylene oxide; Ammonia;;

MA RTK: Not Listed; 1,4-Dioxane; Ethyl acrylate; Isopropyl alcohol; Ethylene oxide; Propylene oxide; Ammonia;;

MN RTK: Not Listed;

NJ RTK: Not Listed; 1,4-Dioxane; Ethyl acrylate; Isopropyl alcohol; Ethylene oxide; Propylene oxide; Ammonia;;

NY RTK: Not Listed;

PA RTK: Not Listed; 1,4-Dioxane; Ethyl acrylate; Isopropyl alcohol; Ethylene oxide; Propylene oxide; Ammonia;;

RI RTK: Not Listed; 1,4-Dioxane; Ethyl acrylate; Isopropyl alcohol; Ethylene oxide; Propylene oxide; Ammonia;;

Safe Drinking Water No Known Hazard or Not Listed

Act:

Canada WHMIS No Known Hazard or Not Listed

Hazard Class:

International Chemical Inventory Status:

Australia AICS Japan ENCS Korea ECL Canada DSL
China IECSC Europe EINECS Phillipines PICCS
Canada NDSL

Europe ELINCS New Zealand Inv

REACH: All components are included in the REACH registry.

Other Regulations





ACTS COOL TREAT HD

Section 16- Other Information:

Revision Date 7/30/2021

Reasons For Revision New Information From Supplier GHS

Sec 16 Other Info

This Safety Data Sheet was prepared in good faith from the most recent information available, in accordance with ST/SG/AC.10/30/Rev.6. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THE INFORMATION PROVIDED ABOVE, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. No responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above, and the product, are furnished on the condition that the person receiving them shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use.