



Safety Data Sheet - according to: 1907/2006 EC (REACH), 1272/2008/EC (CLP), GHS ST\_SG\_AC10\_30\_Rev7e

## Section 1 - Identification

Product Identifier: 75W90 Synthetic Gear Oil with Limited Slip

<b>Supplier:</b>	Professional Series, LLC	<b>Supplier Phone:</b> (215) 234-3085
<b>Supplier Address:</b>	375 Ivyland Rd, Suite 8 Warminster, PA 18974 USA	<b>In Case of Spills or Medical Emergency:</b> 24 HRS, 7 DAYS North American Shipments: 1-800-424-9300 or 1-703-527-3887 (CHEMTREC) International Shipments: 813-248-6191
<b>Intended Use</b>	Industrial Lubricant for use in enclosed systems.	
<b>Uses To Avoid</b>	Non-industrial uses	

## Section 2 - Hazard Identification

<b>Hazard Classifications:</b>	<b>Signal Word:</b> WARNING Substance Or Mixture Mixture	Other than flammability, no specific data exists for this mixture. Hazard classifications are calculated based on component information, according to GHS protocols for the relevant hazard.
Eye damage/irritation (Category 2B),		

**Hazard Statements based on component information:**  
HAZARDS: Causes eye irritation.

### Precautions:

Keep away from heat. No Smoking. Keep container tightly closed. Guard against static discharge.

NO  
PICTOGRAMS  
APPLY

**Other Hazards Not Resulting In Classification:** May be hazardous to soil dwelling organisms.

**Summary:** Read entire SDS prior to use. Observe all precautions. Use engineering controls to minimize human exposure to workplace chemicals.



75W90 Synthetic Gear Oil with Limited Slip

### Section 3 - Composition / Information on Ingredients

**FN 2882**

	CAS Number	% Range	
DISTILLATES, PETROLEUM, HYDROTREATED HEAVY PARAFFINIC	64742-54-7	60 - 100	<b>Exact percentages and component identities are being withheld as trade secrets. Occupational Exposure Levels, Toxicity, and Ecological information on components is shown in Sections 8, 11, and 12 below. Users should read and understand the entire SDS. More specific information on components will be released to medical professionals in case of emergency.</b>
POLYACRYLATES IN MINERAL OIL	MIXTURE	15 - 40	
SULFURIZED OLEFIN MIXTURE	MIXTURE	5-15	
HYDROCARBON POLYMER	MIXTURE	< 1	

---

### Section 4 - First Aid Measures:

First responders should wear clothing appropriate for industrial exposure in accordance with local codes. At a minimum, all exposed skin should be covered, and latex gloves and eye protection meeting ANSI Z87 or CSA Z94.3 should be worn. First responders should avoid contact with spilled material. Spills of this material present a slip hazard. If smoke, fumes, or airborne mist is present, first responders should use organics respirator or self contained breathing apparatus.

**IF SWALLOWED:** Do not induce vomiting. Rinse mouth. Get immediate medical attention.

**IF INHALED:** Remove affected person to fresh air and make comfortable for breathing. Get immediate medical attention.

**IF IN EYES:** Remove contact lenses. Rinse with water for several minutes. If eye irritation persists, get medical attention.

**IF ON SKIN:** Remove all contaminated clothing. Wash exposed skin/hair with soap and water.

**IF ON CLOTHES:** Do not allow skin contact with contaminated clothing. Remove contaminated clothing and wash before re-use.

**IF EXPOSED:** Contact physician if you feel unwell.

**Most Important Symptoms ACUTE:** Respiratory effects, vision effects. **DELAYED:** Dermatological effects.

Indication of Immediate Difficulty breathing, dizziness, extreme drowsiness, eye irritation, loss of vision, skin rash.  
Medical Attention

---

**Section 5 - Fire Fighting Measures:**

Flash Point: &gt;93 C

<b>Hazardous</b>	Byproducts of combustion include carbon dioxide, carbon monoxide, oxides of sulfur, oxides of
<b>Decomposition Products</b>	nitrogen, and heavy, acrid smoke.
<b>Appropriate</b>	Avoid spraying water jet on burning hydrocarbon liquids as this may spread the fire. Use dry chemical
<b>Extinguishing Media</b>	or foam extinguishing media.
<b>Specific Fire Hazards</b>	Fire fighters must be protected from smoke with self contained breathing apparatus. Heavy smoke may obscure vision. Smoke may contain oxides of carbon, nitrogen, sulfur, and chlorine.
<b>Special Protective Actions</b>	Use water spray to cool exposed containers.

**Section 6- Accidental Release Measures:****Personal Precautions**

Spills present a slip hazard. Extinguish/disconnect possible sources of ignition near spill. Ensure adequate ventilation of fumes from affected area. Remove unnecessary personnel from area around spill. Prior to cleaning up, don protective gear including chemical and hydrocarbon resistant outer layer, latex or rubber gloves, rubber boots, and eye protection. Emergency responders should wear chemical and hydrocarbon resistant gear.

**Environmental Precautions**

Small spills may be wiped up with rags. For spills >10 litres- if possible to safely do so, contain the spilled material using diatomaceous earth and/or absorbent pads. Dike drains and prevent material from entering sewers, ditches, drains, or water courses. Place absorbed material into sealed storage containers and consult an environmental expert for proper disposal measures. Immediately report any discharges that escape containment to the local environmental authority or fire department.

**Methods for Cleaning Up**

Absorption with diatomaceous earth and/or absorbent pads is best. Do not use vacuum. Do not wash hydrocarbon or chemical spills away into sewers or drains. Use proper disposal methods for spent absorbents and contaminated rags or clothing.

**Section 7- Storage and Handling:****Precautions for Handling**

Read and understand entire Safety Data Sheet prior to handling. Wear all appropriate protective gear listed in section 2 above prior to handling. Handle with care to avoid spillage.

**Methods for Safe Storage**

Store only in original containers. Store containers indoors away from heat and flames. Store in secure location with good ventilation. Keep container sealed when not transferring product. Protect from rain and extreme cold. Avoid storage of hydrocarbons near strong mineral acids or materials marked 'Oxidizer'.

**Section 8- Exposure Controls/Personal Protection:**

75W90 Synthetic Gear Oil with Limited Slip

**Control Parameters**

No exposure limits are established for this mixture. Users should use lowest exposure value shown for components in this section.

**Component Information - Occupational Exposure Limits:**

DISTILLATES, PETROLEUM, HYDROTREATED	TWA 5 MG/M3 AS OIL MIST; STEL 10 MG/M3 AS OIL MIST
POLYACRYLATES IN MINERAL OIL	No Known Hazard
SULFURIZED OLEFIN MIXTURE	No Known Hazard
HYDROCARBON POLYMER	No Known Hazard

**Personal Protective Gear**

Workers exposed to airborne levels above threshold values shown above should use protective gear including safety glasses, latex gloves, long sleeve work shirts, long pants, hair covering, and work shoes having oil and chemical resistant soles. Similar protective gear should be worn when servicing equipment containing this material, or when draining and refilling equipment with fresh product.

**Engineering Controls**

Engineering controls should ensure adequate ventilation to keep airborne concentrations below threshold values shown above. Pumps and handling equipment should be designed to reduce human exposure potentials to liquids being transferred from containers into closed systems.

---

**Section 9- Physical Properties**

Appearance	Clear to Hazy Liquid	Upper Explosive Limit	Not Determined
Odor	Low Indescript	Lower Explosive Limit	Not Determined
Odor Threshold	No Data Available	Vapour Pressure	Negligible
pH	N/A oil based	Vapour Density	>1 (air=1)
Melting Point	Liquid under intended use conditions	Relative Density	0.8-0.9 kg/l 60C
Freezing Point	0 to -20	Solubility	Hydrocarbons, Alcohols
Initial Boiling Point	>100 C	Partition Coefficient	Log KOW > 4 (mineral oil data)
Boiling Range	313C - 432C	Auto Ignition Temp	Not Determined
Flash Point	>93 C	Decomposition Temp	Not Determined
Evaporation Rate	<1 (n-butyl acetate =1)	Viscosity cSt 40C	>20.5 cSt 40C

---

### Section 10- Physical Properties:

<b>Reactivity</b>	May react violently if combined with strong oxidizers and heat.
<b>Chemical Stability</b>	Stable under recommended storage conditions.
<b>Conditions to Avoid</b>	Keep away from fire, sparks, and other sources of ignition.
<b>Possibly Hazardous Reactions</b>	None known.
<b>Incompatible Materials</b>	Strong acids and materials marked 'Oxidizer'.
<b>Hazardous Decomposition Products</b>	Byproducts of combustion include carbon dioxide, carbon monoxide, oxides of sulfur, oxides of nitrogen, and heavy, acrid smoke.

### Section 11- Toxicological Information:

#### Symptoms of Exposure:

<b>Likely Routes of Exposure</b>	Dermal and/or Eye exposure from handling. Intended use of product is within enclosed systems which do not generate mist in air.
<b>Ingestion</b>	Ingestion of minimal amounts, e.g. failure to wash hands before eating/smoking, is unlikely to cause symptoms. Swallowing of liquid product may cause vomiting and nausea.
<b>Inhalation</b>	No symptoms are expected under intended use conditions. Exposure to concentrated fumes may cause transient hypoxia.
<b>Dermal/Eye</b>	Minimally irritating by dermal exposure. Eye exposure may cause transient stinging and blurred vision.

**Immediate or Delayed Effects** Not expected from exposure to mineral or vegetable oils.

**Interactive Effects** None Known

**Numerical Measures of Toxicity - components** (all LD/LC/EC 50 values shown below are based on animal or fish data) at max range value section 3.

**Acute Oral Toxicity:** DISTILLATES, PETROLEUM, HYDROTREATED HEAVY PARAFFINIC ; POLYACRYLATES IN MINERAL OIL ; SULFURIZED OLEFIN MIXTURE ; HYDROCARBON POLYMER:

**Acute Skin Toxicity:** DISTILLATES, PETROLEUM, HYDROTREATED HEAVY PARAFFINIC ; POLYACRYLATES IN MINERAL OIL ; SULFURIZED OLEFIN MIXTURE ; HYDROCARBON POLYMER:

**Acute Toxicity Inhalation** DISTILLATES, PETROLEUM, HYDROTREATED HEAVY PARAFFINIC: Non Hazardous; POLYACRYLATES IN MINERAL OIL ; SULFURIZED OLEFIN MIXTURE ; HYDROCARBON POLYMER:

75W90 Synthetic Gear Oil with Limited Slip

**Section 11- Toxicological Information: (continued)**

**Skin Corrosion:** DISTILLATES, PETROLEUM, HYDROTREATED HEAVY PARAFFINIC: Non Irritating; POLYACRYLATES IN MINERAL OIL: ; SULFURIZED OLEFIN MIXTURE: ; HYDROCARBON POLYMER:

**Eye Corrosion:** DISTILLATES, PETROLEUM, HYDROTREATED HEAVY PARAFFINIC: Non-Categorized, Suspected Eye Irritant; POLYACRYLATES IN MINERAL OIL: Non-Categorized, Suspected Eye Irritant; SULFURIZED OLEFIN MIXTURE: Non-Categorized, Suspected Eye Irritant; HYDROCARBON POLYMER: Non-Categorized, Suspected Eye Irritant

**Respiratory Sensitization:** DISTILLATES, PETROLEUM, HYDROTREATED HEAVY PARAFFINIC: ; POLYACRYLATES IN MINERAL OIL: ; SULFURIZED OLEFIN MIXTURE: ; HYDROCARBON POLYMER:

**Skin Sensitization:** DISTILLATES, PETROLEUM, HYDROTREATED HEAVY PARAFFINIC: ; POLYACRYLATES IN MINERAL OIL: ; SULFURIZED OLEFIN MIXTURE: ; HYDROCARBON POLYMER:

**Germ Cell Mutagenicity:** DISTILLATES, PETROLEUM, HYDROTREATED HEAVY PARAFFINIC: ; POLYACRYLATES IN MINERAL OIL: ; SULFURIZED OLEFIN MIXTURE: ; HYDROCARBON POLYMER:

**Carcinogen:** DISTILLATES, PETROLEUM, HYDROTREATED HEAVY PARAFFINIC: ; POLYACRYLATES IN MINERAL OIL: ; SULFURIZED OLEFIN MIXTURE: ; HYDROCARBON POLYMER:

**Reproductive Effects:** DISTILLATES, PETROLEUM, HYDROTREATED HEAVY PARAFFINIC: ; POLYACRYLATES IN MINERAL OIL: ; SULFURIZED OLEFIN MIXTURE: ; HYDROCARBON POLYMER:

75W90 Synthetic Gear Oil with Limited Slip

**Section 11- Toxicological Information: (continued)**

**Target Organ 1 Exposure:** DISTILLATES, PETROLEUM, HYDROTREATED HEAVY PARAFFINIC: No Hazard; POLYACRYLATES IN MINERAL OIL: ; SULFURIZED OLEFIN MIXTURE: ; HYDROCARBON POLYMER:

**Target Organ Multiple Exposure:** DISTILLATES, PETROLEUM, HYDROTREATED HEAVY PARAFFINIC: ; POLYACRYLATES IN MINERAL OIL: ; SULFURIZED OLEFIN MIXTURE: ; HYDROCARBON POLYMER:

**Aspiration Hazard:** DISTILLATES, PETROLEUM, HYDROTREATED HEAVY PARAFFINIC: Cat 1 Aspiration Hazard; POLYACRYLATES IN MINERAL OIL: ; SULFURIZED OLEFIN MIXTURE: ; HYDROCARBON POLYMER:

**Other Information** No Other Information Available.

**Section 12- Ecological Information:**

- Ecological Summary** Hydrocarbon mineral oils, and non-petroleum oils, have low toxicity and are inherently biodegradable. See specific information below regarding aquatic toxicity data on components.
- Bioaccumulation** Hydrocarbon mineral oils, and non-petroleum oils, are inherently biodegradable and have low bioaccumulation potential. Specific information on components is shown below.
- Persistence & Degradability** Hydrocarbon mineral oils, and non-petroleum oils, are inherently biodegradable and are not persistent. OECD 301 values range from 50% to 95% in 28 days.
- Waste Treatment Effects** Product residues are not expected to enter publicly operated treatment works. No negative effects of this mixture are known.
- Soil Mobility** Mineral oils have been shown to adhere strongly to soil. Mobility is expected to be low.
- Other Adverse Effects** None Known

**Toxicity to aquatic organisms, component information:**

**Aquatic Toxicity, Acute:** DISTILLATES, PETROLEUM, HYDROTREATED HEAVY PARAFFINIC: ; POLYACRYLATES IN MINERAL OIL: ; SULFURIZED OLEFIN MIXTURE: ; HYDROCARBON POLYMER:

**Volatile Organic Content:**



Aquatic Toxicity, Long Term: DISTILLATES, PETROLEUM, HYDROTREATED HEAVY PARAFFINIC; ; POLYACRYLATES IN MINERAL OIL; ; SULFURIZED OLEFIN MIXTURE; ; HYDROCARBON POLYMER:

Ozone:

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by 40 CFR 82, Subpt. A, App.A + 8.

Section 13- Disposal Considerations:

- Disposal Containers & Methods: Unused material is not a RCRA hazardous waste. Mixture with other wastes may cause classification as hazardous waste. Users must determine compliance with local, state, and federal regulations for proper classification and disposal of used oils and mixtures thereof. Suitable containers include steel and polyethylene drums and totes, for containment of used oil. Secondary containment is advised. Containers should be kept sealed and protected from rain and exposure.
Physical Chemical Properties Affecting Disposal: Changes in physical and chemical properties during use, such as contamination with lead, zinc, or other metals, may affect classification for disposal. Used oils should be tested to determine metals content and applicable local, state, and federal regulations governing disposal of such fluids.
Improper Disposal: Discharging of oily wastes into any sewer, watercourse, or unregulated drain is discouraged as improper and may result in fines, penalties, cleanup costs, and criminal liabilities for responsible parties.

Precautions for Landfill

Oily liquid should not be disposed in a landfill. Disposal of oily absorbents, rags, or other items into a landfill should only be done with proper permission from local, state, and federal authorities.

Section 14- Transport Information:

US DOT 49 CFR Parts 171-180:

Proper Shipping Name: Not Regulated

Combustible Liquid

Exemption:

UN/ID/NA Number: NA

Transport Hazard Class NA Packing Group NA Labels: NA ERGCode NA

Marine Pollutant: No

IATA-DGR

IATA Proper Shipping Name NA UN/ID Number NA

IATA Class NA IATA Packing Group: NA IATA Labels NA

IMDG-CODE

IMDG Proper Shipping Name NA

IMDG UN/ID Number NA IMDG Shipping Class NA IMDG Packing Group NA

IMDG Labels NA IMDG Marine Pollutant: No

MARPOL

MARPOL 73/78 Annex II

Special Precautions



Safety Data Sheet - according to: 1907/2006 EC (REACH), 1272/2008/EC (CLP), GHS ST\_SG\_AC10\_30\_Rev7e

75W90 Synthetic Gear Oil with Limited Slip

### Section 15- Regulatory Information:

NOTE: Information provided in this section reflects the best available information from suppliers of components used to manufacture this mixture, as of the date of this revision shown below.

OSHA 1910.1200 Hazardous Chemical: Hazards are classified as reported in Section 2 above.

SARA 302 EHS No Known Hazard or Not Listed

SARA 311/312 Acute No Chronic No Fire No Pressure No Reactivity No

SARA 313 EHS No Known Hazard or Not Listed

TSCA Status: All Components are properly registered

#### US State Lists & Regulations:

CA Prop 65 This product does not contain any substances on the California Proposition 65 List as of August, 2018.

#### US State Right To Know Information:

IL RTK:

MA RTK:

MN RTK:

NJ RTK:

NY RTK:

PA RTK: Nothing Listed

RI RTK: Nothing Listed

Safe Drinking Water No Known Hazard or Not Listed  
Act:

Canada WHMIS No Known Hazard or Not Listed  
Hazard Class:

#### International Chemical Inventory Status:

Australia AICS

Japan ENCS

Korea ECL

Canada DSL

China IECS

Europe EINECS

Phillipines PICCS

Canada NDSL

Europe ELINCS

New Zealand Inv

REACH : All components are included in the REACH registry.

Other Regulations

---

**Section 16- Other Information:**

Revision Date 4/5/2016

**Reasons For Revision**

**Sec 16 Other Info** This Safety Data Sheet was prepared in good faith from the most recent information available, in accordance with ST/SG/AC.10/30/Rev.6. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THE INFORMATION PROVIDED ABOVE, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. No responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above, and the product, are furnished on the condition that the person receiving them shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use.