

Professional Series Universal Synthetic CVT Fluid is formulated to incorporate the latest additive chemistry and synthetic base stocks for a more powerful and more robust stand-alone Universal Synthetic CVT Fluid. As manufacturers begin introducing the CVT into larger and more powerful vehicles; and as newer, more challenging CVT transmissions are introduced into the marketplace, it became apparent that Professional Series had to take the bull by the horns and develop a new, high-end CVT fluid that would meet the performance requirements for global CVT manufacturers from around the world. The Professional Series Universal Synthetic CVT Fluid has been engineered to provide "Stay-In-Grade" viscosity, excellent oxidation stability, anti-wear and extreme pressure protection. Coupled with improved seal-swell protection as well as superior wet clutch performance, this new technology gives the fluid improved anti-shudder durability when compared with other CVT fluids in the market.



Professional Series Universal Synthetic CVT Fluid is designed for the new and older CVT transmissions, whether chain or belt, that need a fluid that protects against metal-to-metal wear that leads to belt or chain deterioration. This CVT fluid has been reformulated to offer the highest level of protection against metal-to-metal wear. Actual side-by-side tests prove that Professional Series' CVT fluid technology outperforms OEM CVT fluids and allows Professional Series to claim better protection against scuffing than many of these OEM fluids. Better anti-shudder performance and better anti-scuffing performance leading to longer life for transmissions, and quieter, more vibration-free operation. Like its big brother, Professional Series' Universal Synthetic Automatic Transmission Fluid, the Professional Series Universal Synthetic CVT Fluid takes the guesswork out of which CVT fluid to use in any CVT application; it is the most universal CVT fluid on earth and may be used in more applications than any other CVT fluid – one single fluid with superior technology for all CVT applications.

Some performance levels are limited by viscosity grades.

Please consult the Performance Application Chart, the Inspection Data Table for the appropriate product or contact your District Manager for specific pack sizes and product availability.

SPECIFICATIONS:

Product No.: PS99085
Net Weight: 5 U.S. Quarts (4.732L)
Case Quantity: 3 each

TYPICAL INSPECTION DATA

SAE Grade:	0W-20
API Gravity:	34.0
Flash Point, °C:	190
Viscosity @ 40°C, cSt:	33.0
Viscosity @ 100°C, cSt:	7.2
Viscosity Index (VI):	190
Brookfield Viscosity, cP:	<10,000
Pour Point, °C:	-50°C



PERFORMANCE APPLICATION CHART

BMW/Mini

CVT EZL 799/EZL 799A Fluid
ZF CVT V1
P/N 83 22 2 344 207
83 22 0 136 376
83 22 0 429 154

Chery

WCF-1

Daihatsu

Ammix CVTF DTC
Ammix CVTF DFE

Dodge/Chrysler/Jeep

CVTF+4
P/N 05191184AA
NS-2

Fiat

Spec. 9.55550-AG4

Ford

Merc C
P/N XT-7-QCFT
Spec. WSS-M2C933-A
CFT30
Spec. WSS-M2C928-A
CFT23

Geely

CVTF

General CVTF

SP-III [in CVT Applications]

GM

Dex-CVT Fluid
Saturn P/N 22688912
GM CVTF I-Green 2
Dex HP CVTF
P/N 19355873
AC Delco CVT Fluid P/N 19260800

Honda/Acura

HMMF
P/N 08260-99904 (without starting
clutch)
HCF-2
P/N 08200-HCF2
CVT-1
P/N 08200-9006
CVT Fluid
Z-1 [in CVT Applications]
DW-1 [in CVT Applications]

Hyundai/Kia

CVTF-J1
CVTF SP-CVT1
SP-III [in CVT Applications]

Mazda

CVTF 3320

Mercedes

MB 236.20 CVT

Mitsubishi

Dia Queen CVTF-J1

Dia Queen CVTF-J4
P/N MZ320185
CVTF- ECO J4
P/N MZ320262
Dia Queen CVTF-J4+
P/N MZ102652
SP-III [in CVT Applications]

Nissan

NS-1
NS-2
NS-2V
NS-3

PUNCH

CVTF EZL 799/EZL 799A
CVT-PPT
CVTF PN-3H
CVTF-EX1

Renault

Matic CVT FK/CK/DK
ELFMATIC CVT

Rongda

SL2100

SAIC

SL2100

SGMW

SL2100

Subaru

High Torque CVT

P/N K0421Y0700
CVTF for Lineartronic
P/N K0425Y0710
e-CVTF
i-CVTF
P/N K0415YA090
i-CVTF FG
P/N K0414Y0710
CVTF-II for Lineartronic II
P/N K0425Y0711
CVTF-III for Lineartronic
CVT ATF C-30
P/N SOA868V9245 (Excluding
Direct-Shift CVT)

Suzuki

CVT Fluid Green 1
Shell Green 1V
Su-CVT fluid
VTF 3320, TC
CVT Fluid Green 2

Toyota

CVT Fluid TC
CVT Fluid type FE

VW/Audi

G 052 180 (-A2)
G 052 516 (-A2)

WLY

WCF-1